

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: : Group Art Unit: 1797
DAVID JOHN PARKINSON, et al.: Examiner: ROBERT J. POPOVICS
Serial No.: 10/553,080 : Confirmation No.: 2720
Filed: February 23, 2007 : Docket No.: DPS-030807 PET-1013US
For: FILTRATION APPARATUS : Date: March 8, 2010

SUPPLEMENTAL AMENDMENT UNDER 37 CFR §1.111
AND RESPONSE TO NOTICE OF NON-RESPONSIVE AMENDMENT

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Sir:

In response to the non-final Office Action dated September 1, 2010 and the Notice of Non-Responsive Amendment dated February 17, 2011, please enter the following Amendment.

An amendment to the specification is on the next page.

The status of and amendments to the claims begin on page 3.

Remarks begin on page 6.

One drawing replacement sheet is enclosed

Because the first submission of this Amendment was within three months of the Action, and because this Supplemental Amendment is being submitted within one month of the Notice of Non-Responsive Amendment and because no new claims above what have been previously paid for have been added, the Applicants believe that no additional fee is required. However, in an abundance of caution, if a fee is necessary for the entry of this Amendment, the Examiner is hereby authorized to charge the fee to Deposit Account No. 50-4920 (PET-1013US, Mossman, Kumar & Tyler, P.C.).